



InterTrade(Singapore)Chemicals Pte Ltd

TOLUENE

Sales Specification

Property	Test Method	Specification
Appearance	VISUAL	clear & free of sediment and haze when observed at 18.3 to 25.6 °C
Relative Density 15.56/15.56 °C	ASTM D4052	0.869 – 0.873
Density @ 20 °C, g/ml	ASTM D4052	report
Colour, PT-Co	ASTM D1209	max 20
Distillation range, 760 mmHg IBP, °C DP, °C	ASTM D1078	1.0 °C range to include 110.6 °C
Acidity wash colour	ASTM D848	max 2
Copper Corrosion	ASTM D849	1A or 1B max
Non-Aromatic Hydrocarbons, vol %	ASTM D2360	max 1.5
Purity, wt %	GC	report
Benzene Content, wt %	GC	max 0.1
Acidity	ASTM D847	none detected
H ₂ S and SO ₂	ASTM D853	none detected